



QAD Adaptive Applications

Technical Reference

QAD EQMS Installation Guide

70-3411-2026

QAD EQMS 2026

September 2026

Copyright

This document contains proprietary information that is protected by copyright and other intellectual property laws. No part of this document may be reproduced, translated, or modified without the prior written consent of QAD Inc. The information contained in this document is subject to change without notice.

QAD Inc. provides this material as is and makes no warranty of any kind, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. QAD Inc. shall not be liable for errors contained herein or for incidental or consequential damages (including lost profits) in connection with the furnishing, performance, or use of this material whether based on warranty, contract, or other legal theory.

This document contains trademarks owned by QAD Inc. and other companies.

Copyright © 2026 by QAD Inc.

QAD Inc.

100 Innovation Place

Santa Barbara, CA 93108

Phone: +1 (805) 566-6100

<http://www.qad.com>

	1
Copyright	2
Introduction	8
About This Guide	8
Prerequisites for the Installation of QAD EQMS 2026	8
SQL Server Setup	10
Web Server Setup (IIS)	11
Download Site Manager and the QAD EQMS 2026 Package	14
Install QAD EQMS 2026	16
Open Site Manager and Begin Installation	16
Set Up the Databases	20
Set Up the Application Site	22
Creating the Admin Password	23
Set Up the Web API Layer	24
Set Up the HTML Client	24
Set Up Admin Tools API	25
Set Up Admin Tools Client	26
Set Up the Identity Server	27
Set Up the Document Service	28
Set Up Esync API	28
Set Up InteropService Site	29
Set Up Notification Service	29
Set Up Tracking Service	30
Web API Configuration	31
Set Up App Extender Client Configuration	32
Set Up Admin Tools Api	34
Set Up Identity Server	35
Set Up Document Service (File Storage Path)	36

Esync Service Configuration.	37
Set Up DocumentService Configuration	38
Set Up InteropService Configuration	39
Set Up Notification Service Configuration	40
Set Up Tracking Service Configuration	41
Review	42
Setup Email and LDAP	45
Setup Email	45
Setup LDAP	45
Setup Supplier Account Creation Setup	46
Apply Life Science Strings	46
Apply Food and Beverage Strings	48
Update the SQL Login	50

QAD EQMS Installation Guide

Change Summary

The following table summarizes significant differences between this document and previous versions.

Date/Version	Description	Reference	Changed By
MAY 2019/v2019	Initial upload	--	DHY
MAR 2020/v2020	Rebranded for 2020	--	DHY
SEPT 2020/v2020.1	<ul style="list-style-type: none"> Updated product titling to remove "CEBOS" Rebranded for 2020.1 Added section for Admin password changes Updated many screenshots to show more current version of Site Manager Fixed grammatical errors 	--	DHY
MAR 2021/v2021	<ul style="list-style-type: none"> Rebranded for 2021 Added information for the elastic search Added information for the notification service Added information for the tracking service 	p. 16, p. 1, p. 29, p. 30, p. 40, p. 41	DHY
SEPT 2021/v2021.1	Rebranded for 2021.1	--	DHY
MAR 2022/v2022	Rebranded for 2022	--	DHY
SEPT 2022/v2022.1	Rebranded for 2022.1; Added a section for Installing the EZDL Service	p. 1	DHY
MAR 2023/v2023	Rebranded for 2023; Modified Web Server Setup (IIS); Added section: Set Up Esync API; Added section: Set Up Document Service Site; Added section: Esync Service Configuration; Added section: Set Up DocumentService Config; Removed expired information	p. 11, p. 28, p. 29, p. 37, p. 38	DHY

Date/Version	Description	Reference	Changed By
MAR 2024/v2024	Updated versioning; Modified Web Server Setup (IIS); Modified Performing the Installation; Modified Setup Email; Added Apply Food and Beverage Strings	p. 11, p. 16, p. 45, p. 48	DHY
SEPT 2024/v2024.1	Updated versioning; Removed Installing the EZDL Service	--	DHY
MAR 2025/v2025	Updated versioning	--	DHY
SEPT 2025/v2025.1	Updated versioning	--	DHY
SEPT 2026/v2026	Updated versioning	--	F6J

Chapter 1

Introduction

Introduction...8

About This Guide...8

Prerequisites for the Installation of QAD EQMS 2026...8

Introduction

The installation of QAD EQMS 2026 is performed using a utility called Site Manager. Site Manager handles the installation and updates of the QAD EQMS 2026 application.

About This Guide

This installation guide focuses on:

- Prerequisites for using Site Manager
- Downloading and installing Site Manager
- Downloading the QAD EQMS 2026 package
- A step-by-step guide for the installation process, including:
 - Setting up a SQL account to manage the databases
 - Creating a Site in IIS, assigning bindings, assigning SSL Certificates, and creating Application Pools
 - Walk through of each screen in Site Manager
 - Encrypting sensitive configuration files
 - Installing the EZDL service
 - Updating system paths, email, and LDAP information

Prerequisites for the Installation of QAD EQMS 2026

Below are the technical requirements to run Site Manager. These should all be present prior to running Site Manager utility on the Web Server

- All prerequisite links can be found here: [Package Website](#)
- Site Manager Prerequisite files. These are located on [Package Website](#)
- A Local or Domain Administrator account
 - In situations where files are being stored off the Web Server, a Domain account with access to the Web Server and the server where the files are stored is required. This account will also run the Esync Windows service and the Application Pools

Chapter 2

Setting Up the Installation



SQL Server Setup...10

Web Server Setup (IIS)...11

Download Site Manager and the QAD EQMS 2026 Package...14


SQL Server Setup

1. Create a new login to be used to connect to SQL Server.
 - a. Log in with the SA or any admin account, right-click on Security, select New, and select Login.
 - b. Fill in the Login Name, select SQL Server Authentication, set the password, and deselect "Enforce Password Policy".



2. Set the Server Roles that the new login will use. These are the required roles; however, more roles can be selected if needed.


- a. Click Server Roles in the left panel.
- b. Assign the login the dbcreator, sysadmin, and public roles.



- i. Click OK and verify the login is successful with the new username.
3. Click OK and verify the login is successful with the new username.
4. Run the following query against the Master Database to determine if Full Text Search is enabled. If it returns "1" then it is enabled. If it returns "0" then it is not enabled. If the customer wishes to utilize the Global Search functionality, Full Text needs to be enabled.
 - `SELECT FULLTEXTSERVICEPROPERTY ('IsFullTextInstalled')`


Web Server Setup (IIS)

1. Create a Site in IIS
 - a. In IIS, right-click the Sites icon and select "Add Website".



i.

- b. Fill in the Site and select/create the Physical Path (red and blue arrows).



- i.
- c. Select the Application Pool to DefaultAppPool. Set the Binding Type to https (blue arrow). Set the Host Name to the URL created for the Site (green arrow). The Host Name will be the URL the users use to connect to the Application and should be determined by the customer. Set the SSL Certificate (black arrow).

Add Website

Site name: QADEQMS Application pool: QADEQMS Select...

Content Directory

Physical path: D:\Inetpub\QADEQMS ...

Pass-through authentication

Connect as... Test Settings...

Binding

Type: https IP address: All Unassigned Port: 443

Host name: qadeqms.qad.com

☐ Require Server Name Indication

SSL certificate: *.qad.com Select... View...


☒ Start Website immediately

OK Cancel


i.

Download Site Manager and the QAD EQMS 2026 Package

1. Navigate to the [QAD EQMS 2026 QDN page](#).
 - a. Click the QAD Site Manager link.



- i.
 - b. In the Patch Release Schedule located at the bottom of the QDN page, grab the latest Package Version.
2. Install Site Manager
 - a. Open the Msi file and complete the installation. When choosing the location for Site Manager, keep in mind that backups of site files created each time an update is done are stored in the root of Site Manager. It is recommended to install Site Manager on a drive with enough space to house these backups.



i.

Chapter 3

Performing the Installation

Open Site Manager and Begin Installation...16

Set Up the Databases...20

Set Up the Application Site...22

Creating the Admin Password...23

Set Up the Web API Layer...24

Set Up the HTML Client...24

Set Up Admin Tools API...25

Set Up Admin Tools Client...26

Set Up the Identity Server...27

Set Up the Document Service...28

Set Up Esync API...28

Set Up InteropService Site...29

Set Up Notification Service...29

Set Up Tracking Service...30

Web API Configuration...31

Set Up App Extender Client Configuration...32

Set Up Admin Tools API...34

Set Up Identify Server...35

Set Up Document Service (File Storage Path)...36

Esync Service Configuration...37

Set Up DocumentService Configuration...38

Set Up InteropService Configuration...39

Set Up Notification Service Configuration...40


Set Up Tracking Service Configuration...41

Review...42


Install QAD EQMS 2026

Open Site Manager and Begin Installation

1. On the opening page, click the "+" button near the bottom of the screen.




2. Fill in the name of Site and click OK.




a.

3. Select Configure New Site (red arrow) and click the Next arrow.




- a.
4. Click the Browse button (red arrow) and navigate to the location in which the package was downloaded.



a.

5. Wait for the package to extract and click the Next arrow (red arrow).



a.

Set Up the Databases

1. For the Meta Database, enter the SQL Server Name (red arrow), SQL Authentication (blue arrow), SQL Login Info (green arrow), Create a New Database (black arrow), and you can change the name of Database if needed (purple arrow). Then click the Next arrow (orange arrow).

QAD Installer / Updater (QADEQMS)

Setup Meta Database

1. Select the Database server
 SQL Server name: VMWdhysql2017

2. Select the Authentication Type:
☐ Use Windows Integrated Authentication
☒ Use SQL Server Authentication

Login: sa
 Password:

3. Database
☒ Create new Database
☐ Select existing database
☐ Restore from Backup

New Database Name: QADEQMSMeta

2021.43.11.217

a.

2. For the Runtime Database, all sections should be filled in. If needed, you can change the Database Name (purple arrow). Click the Next arrow (orange arrow).

QAD Installer / Updater (QADEQMS)

Setup Runtime Database

1. Select the Database server

VMWdhysql2017

2. Select the Authentication Type:

☐ Use Windows Integrated Authentication

☒ Use SQL Server Authentication

Login: sa

Password:

3. Database

☒ Create new Database

☐ Select existing database

☐ Restore from Backup

New Database Name: QADEQMSRT

2021.43.11.217

a.

Set Up the Application Site

1. Enter the Site Name as it is in IIS (red arrow), check the Use Encrypted Admin Tools config files check box (black arrow), set the Physical Path (blue arrow), set the Host Name to be the same as the Host Name set in the Site creation in IIS (purple arrow), and

set the SSL Cert (orange arrow).

QAD Installer / Updater (QADEQMS)

Setup Site

Site Name: Default Web Site

☐ Create site by site name only

☐ Use encrypted Admin Tools config files

Path:

Alias:

Physical path: C:\Develop\QADEQMS **BROWSE**

☐ Use Reverse Proxy

BINDING

Type: Https

IP Address:

Port: 443

Host name: QWDHVEQMSLOADT.qad.com

SSL Cert: *.qad.com

a.

Creating the Admin Password

1. Create a unique admin password. Note that the password can no longer be aimhi. This password will be used in the Runtime Client and the Admintools Client for the admin account. This password needs to be record-kept as with encrypted configurations, it CANNOT be recovered.

QAD Installer / Updater (QADEQMS)

Setup Admin Login

Username: admin

Password:

a.

Set Up the Web API Layer

1. At this point of the installation, no input is required from the user, aside from moving through each screen. During this section, make sure the values here are valid.

The screenshot shows the 'Installer / Updater (QADEQMS)' window. The left sidebar lists the following steps: Select Operation, Package, Setup Meta Database, Setup Runtime Database, Setup Identity Server Database, Setup Site, Setup Admin Login, **Setup Web API layer** (highlighted), Setup HTML client, Setup Admin Tools API, Setup Admin Tools client, Setup Identity Server, Setup Document Service, Setup Reach Service Site, Setup NotificationService site, Setup TrackingService site, Setup Esync Service, and Web API configuration. The version '2021.43.11.217' is shown at the bottom left of the sidebar. The main area is titled 'Setup Web API layer' and contains the following fields:

Site Name:	QAD EQMS
Path:	
Alias:	WebApi
Physical path:	C:\Develop\QADEQMS\WebApi BROWSE
Application pool - .Net 4.5:	DotNet45

At the bottom of the window, there is a gear icon on the left and two circular arrows (back and forward) on the right.

a.

Set Up the HTML Client

On the HTML Client page, you can change the preset Title (red arrow). The Title will show in the Application (in the upper right) and it will also be the Hyperlink text in Action Emails. This defaults to QAD EQMS but can be changed.

Installer / Updater (QADEQMS)

Setup HTML client

Select Operation

Package

Setup Meta Database

Setup Runtime Database

Setup Identity Server Database

Setup Site

Setup Admin Login

Setup Web API layer

Setup HTML client

Setup Admin Tools API

Setup Admin Tools client

Setup Identity Server

Setup Document Service

Setup Reach Service Site

Setup NotificationService site

Setup TrackingService site

Setup Esync Service

Web API configuration

2021.43.11.217

Site Name: QAD EQMS

Path:

Alias:

Physical path: C:\Develop\QADEQMS\HtmlClient **BROWSE**

Application pool - .Net 4.5: DotNet45

Web API URI: https://VMWDHYSM2021.qad.com/WebApi/


Title: QAD EQMS

Default Theme: QAD

Company brand: QAD


Set Up Admin Tools API

Below is an example of how it should look.



Set Up Admin Tools Client

Below is an example of how it should look.



Set Up the Identity Server

Below is an example of how it should look.

The screenshot shows the 'Installer / Updater (QADEQMS)' window. On the left is a list of installation steps, with 'Setup Identity Server' highlighted in green. The main area is titled 'Setup Identity Server' and contains the following fields:

Site Name:	QAD EQMS	
Path:		
Alias:	AdminToolsIdp	
Physical path:	C:\Develop\QADEQMS\AdminToolsIdp	BROWSE
Application pool - .NetCore:	DotNetCore	

At the bottom left is a gear icon, and at the bottom right are left and right arrow icons. The version number '2021.43.11.217' is displayed at the bottom left.

Set Up the Document Service

Below is an example of how it should look.


The screenshot shows the 'Installer / Updater (Test)' window. On the left is a list of installation steps, with 'Setup Document Service' highlighted in green. The main area is titled 'Setup Document Service' and contains the following fields:

Site Name:	Default Web Site	
Path:		
Alias:	DocumentProcessor	
Physical path:	D:\Develop\Test\DocumentProcessor	BROWSE
Application pool - .NetCore:	TestCore	

At the bottom left is a gear icon, and at the bottom right are left and right arrow icons.

Set Up Esync API

Below is an example of how it should look.




The screenshot shows the 'Installer / Updater (Test)' window with a sidebar on the left containing the following menu items: Select Operation, Package, Setup Meta Database, Setup Runtime Database, Setup Identity Server Database, Setup Site, and Setup Admin Login. The main area is titled 'Setup Esync Site API' and contains the following fields:

Site Name:	Default Web Site	
Path:		
Alias:	ESync	
Physical path:	D:\Develop\Test\ESync	BROWSE
Application pool - Esync:	TestEsyncCore	

Set Up InteropService Site

Below is an example of how it should look.



The screenshot shows the 'Installer / Updater (QADEQMS)' window with a sidebar on the left containing the following menu items: Select Operation, Package, Setup Meta Database, Setup Runtime Database, Setup Site, Setup Admin Login, Setup Web API layer, Setup HTML client, Setup Admin Tools API, Setup Admin Tools client, Setup Identity Server, Setup Document Service, Setup Esync Site API, Setup InteropService site (highlighted in green), Setup NotificationService site, Setup TrackingService site, Web API configuration, and Setup App Extender Client Configura. The main area is titled 'Setup InteropService site' and contains the following fields:

Site Name:	Default Web Site	
Path:		
Alias:	InteropService	
Physical path:	C:\Develop\QADEQMS\InteropService	BROWSE

At the bottom of the window, there is a status bar with the version number '2024.50.9.63' and navigation buttons (back, forward, and a settings gear icon).

Set Up Notification Service

Below is an example of how it should look.

The screenshot shows the 'Installer / Updater (QADEQMS)' window. On the left is a vertical list of installation steps, with 'Setup NotificationService site' highlighted in green. The main area is titled 'Setup NotificationService site' and contains the following fields:

Site Name:	QAD EQMS	
Path:		
Alias:	NotificationService	
Physical path:	C:\Develop\QADEQMS\NotificationService	BROWSE
Application pool - .NetCore:	DotNetCore	

At the bottom left of the window is a gear icon and the version number '2021.43.11.217'. At the bottom right are two circular arrows, one pointing left and one pointing right.

Set Up Tracking Service

Below is an example of how it should look.

The screenshot shows the 'Installer / Updater (QADEQMS)' window. On the left is a vertical list of installation steps, with 'Setup TrackingService site' highlighted in green. The main area is titled 'Setup TrackingService site' and contains the following configuration fields:

Site Name:	QAD EQMS	
Path:		
Alias:	TrackingService	
Physical path:	C:\Develop\QADEQMS\TrackingService	BROWSE
Application pool - .NetCore:	DotNetCore	

At the bottom left of the window, the version '2021.43.11.217' is displayed next to a gear icon. At the bottom right, there are left and right navigation arrows.

Web API Configuration

The admin information is read-only, but should reflect the password used in "Creating the Admin Password" on page 23 (red and blue arrows).

QAD Installer / Updater (QAD EQMS)

Web API configuration

Before After


☒ Configure for HTTPS


appSettings	
ActionManagerInterval	0 1 10 ? **
AdminLogin	admin
AdminPassword	aimhi
AllowEmailMessages	true
ApplicationPath	C:\inetpub\QMSREL\Master\WebApi
ApplicationRootUrl	https://qmsrel.qad.com/master/webapi/
ClientValidationEnabled	

2020.42.38.171

Set Up App Extender Client Configuration

Nothing should need to be changed here. Below is an example of how it should look.





Set Up Admin Tools Api

The admin information is read-only, but should reflect the password used in "Creating the Admin Password" on page 23 (red and blue arrows).

Installer / Updater (QADEQMS)

Setup Admin Tools Api

True	True
<i>sendPushNotificationsOnSave</i>	
False	False
<i>runtimeRootPath</i>	
C:\inetpub\QMSREL\Master\WebApi	C:\Develop\QADEQMS\WebApi

Meta

<i>url</i>	https://qmsrel.qad.com/master/admintoolsapi/	https://vmwdhysm2021.qad.com/Adm
------------	--	----------------------------------

Runtime

<i>uri</i>	https://qmsrel.qad.com/master/webapi/	https://vmwdhysm2021.qad.com/Web
<i>username</i>	admin	admin
<i>password</i>	aimhi	1234

2021.43.11.217

Set Up Identity Server

The admin information is read-only, but should reflect the password used in "Creating the Admin Password" on page 23 (red and blue arrows).

Installer / Updater (QADEQMS)

Setup Identity Server

AppTitle

QAD EQMS QAD EQMS

AdminAccount

Username

admin admin

Password

aimhi 1234

ConnectionStrings

VeyronMeta

Data Source=qqcoqadwin525;Initial Catalog=QMS Data Source=VMWdhysql2017;Initial C

VeyronRuntime

Data Source=qqcoqadwin525;Initial Catalog=QMS Data Source=VMWdhysql2017;Initial C


IdPStore

Data Source=qqcoqadwin525;Initial Catalog=QMS Data Source=VMWdhysql2017;Initial C

2021.43.11.217

Set Up Document Service (File Storage Path)

You can set where the Document File Storage will be (red arrow) here. Reminder: If Document storage will be on a server other than the Web Server, make sure the accounts running the Application Pool have access to the path.



Esync Service Configuration.

Below is an example of how this should look.

QAD

Installer / Updater (QADEQMS)

Setup Admin Tools API

Setup Admin Tools client

Setup Identity Server

Setup Document Service

Setup Reach Service Site

Setup NotificationService site

Setup TrackingService site

Setup Esync Service

Web API configuration

Setup App Extender Client Configura

Setup Admin Tools Api

Setup Identity Server

Setup Document Service

Reach Service Configuration

Setup NotificationService config

Setup TrackingService config

E-Sync Service Configuration

Review

2021.43.11.217

E-Sync Service Configuration

False	False
DatabaseType	
SqlServer	SqlServer
ESyncDataProviderTimeoutInSeconds	
120	120
ESyncServiceName	
EsyncQMSRELMAS	EsyncQADEQMS
PingSiteInterval	
0 0/1 * 1/1 * ? *	0 0/1 * 1/1 * ? *

connectionStrings

VeyronMeta

Data Source=cont643\sql2016;Initial Catalog=QMS	Data Source=VMWdhysql2017;Initial Cat
---	---------------------------------------


VeyronRuntime

Data Source=cont643\sql2016;Initial Catalog=QMS	Data Source=VMWdhysql2017;Initial Cat
---	---------------------------------------

logging


Set Up DocumentService Configuration

Below is an example of how this should look.




Set Up InteropService Configuration

Note that this is intentionally blank.



Set Up Notification Service Configuration

Below is an example of how this should look. Note that the URI's here should be localhost:9200.



Set Up Tracking Service Configuration

Below is an example of how this should look. Note that the URI's here should be localhost:9200.

QAD

Installer / Updater (QADEQMS)

Setup HTML client

Setup Admin Tools API

Setup Admin Tools client

Setup Identity Server

Setup Document Service

Setup Reach Service Site

Setup NotificationService site

Setup TrackingService site

Setup Esync Service

Web API configuration

Setup App Extender Client Configura

Setup Admin Tools Api

Setup Identity Server

Setup Document Service

Reach Service Configuration

Setup NotificationService config

Setup TrackingService config

E-Sync Service Configuration

2021.43.11.217

Setup TrackingService config

Uri

http://localhost:9200/

http://localhost:9200

LogLevel

Debug

Debug

FileLogConfiguration

Enabled

true

True

LogLevel

Debug

Debug

elasticsearch

index

usage

usage


url

http://localhost:9200/

http://localhost:9200/

Review

You can review all the settings from above on this page. Click the Next arrow (red arrow) at the bottom to begin the installation.



Chapter 4

Setting Up Email and LDAP

Setup Email and LDAP...45

Setup Email...45

Setup LDAP...45

Setup Supplier Account Creation Setup...46

Apply Life Science Strings...46

Apply Food and Beverage Strings...48



Update the SQL Login...50

Setup Email and LDAP

The below instructions will provide a brief overview of where to input email server information and where to enter LDAP (if applicable) information.

Setup Email


1. Log in to the Admintools site. The URL will look something like <https://your.qmssite.com/Admintools>
2. Expand the System Setup group from the navigation on the left and open the Email Setup screen.
3. Enter information into all applicable fields and click Save.
4. Use the Test Connection button to validate an email is being sent from the Application.
5. Publish the site using the Deploy option.



Setup LDAP

1. Log in to the Admintools site. The URL will look something like <https://your.qmssite.com/Admintools>
2. Expand the System Setup group from the navigation on the left and open the LDAP Setup screen.
3. Enter information into all applicable fields and click Save.

4. Publish the site using the Deploy option.



Setup Supplier Account Creation Setup

1. Log in to the end user site using an administrator account. The URL will look something like <https://your.qmssite.com/>.
2. Expand the Administration group from the navigation on the left and open the Supplier Account Creation Setup screen.
3. Double-click "Click Here to Edit Setup".
4. Enter information into all fields:
 - a. Enter your company name.
 - b. Enter the QMS URL. This is the same URL used in step 1 above.
5. Click Save.

Apply Life Science Strings

If the customer is a Life Science customer and it is required to apply Life Science strings, follow the instructions below. If there is a question as to whether or not this step should be executed, please see the Consultant on the project.


1. Go to [QAD EQMS 2026](#) and download the Life Science Resource pack.

Packages

- QAD EQMS 2026 (See Release Schedule Below)
- [QAD EQMS Site Manager](#) (2026.51.37.136)
- [QAD EQMS Environment Manager 2026](#) (2026.53.28.14)
- [Life Science Resource Pack 2026](#) 
- [Food and Beverage Resource Pack 2026](#)


a.

2. Open Site Manager and select the Update From Resource Pack operation.



a.

3. On the Configure Backup page, leave the skip DB check box deselected so backups are taken.
4. On the Resource Package page, browse to the location where the resource file (.zip) is located. Load the package.



- a.
5. Click the next arrow on the review page and begin loading the Life Science Strings.
6. Once the operation is complete, log in to the Runtime Site and validate some of the strings. See the examples below.
 - a. APQP is now Design Control.
 - b. Process FMEA is now Process Risk Plan.

Apply Food and Beverage Strings

If the customer is a Food and Beverage customer and it is required to apply Food and Beverage strings, follow the instructions below. If there is a question as to whether or not this step should be executed, please see the Consultant on the project.


1. Go to [QAD EQMS 2026](#) and download the Food and Beverage Resource pack.

Packages

- QAD EQMS 2026 (See Release Schedule Below)
- [QAD EQMS Site Manager](#) (2026.51.37.136)
- [QAD EQMS Environment Manager 2026](#) (2026.53.28.14)
- [Life Science Resource Pack 2026](#)
- [Food and Beverage Resource Pack 2026](#)


a.

2. Open Site Manager and select the Update From Resource Pack operation.



a.

3. On the Configure Backup page, leave the skip DB check box deselected so backups are taken.
4. On the Resource Package page, browse to the location where the resource file (.zip) is located. Load the package.





- a.
5. Click the next arrow on the review page and begin loading the Food and Beverage Strings.
6. Once the operation is complete, log in to the Runtime Site and validate some of the strings. See the examples below.
 - a. APQP is now Design Control.
 - b. Process FMEA is now Process Risk Plan.

Update the SQL Login


For Cloud installations, the SQL Login must be updated to remove certain permissions. The below instructions should only be executed if your policy prohibits third party applications from using a SQL login with sysadmin rights.

1. On the SQL Server, log in to SQL Management Studio using a SysAdmin account (e.g. sa or windows account).


2. Expand the Security folder in SQL Server Management Studio and locate the SQL login.




3. Open the login by double clicking, click Server roles, and remove the checkmark from the sysadmin checkbox.




4. Add SQL login as DBOwner of Meta, Runtime, and IDP Databases.
 - a. Double-click the SQL login to bring up the Login properties.
 - b. Click User Mapping.
 - c. Select the check box next to the Meta, Runtime, and IDP databases and select db_ owner for each database.






ii.



iii.



iv.